

Ethyl Acetate 99%

Section 1. Identification

Common name : Ethyl Acetate 99%

Synonym : Ester

Material uses : Solvent

CAS : 141-78-6

Supplier / Manufacturer:

Solution Chemco Inc.

4325, Rue de l'Église
Thetford Mines
Québec, Canada, G6H 3B1
Phone: 418-338-0517
www.solutionschemco.com

In case of emergency:

CANUTEC : (613) 996-6666

Poison Control Centres : (800) 463-5060

Section 2. Hazards identifications

Classification :



Flammable liquid, Category 2

Eye irritation, Category 2A

Specific target organ toxicity - Single exposure (Narcotic effects), Category 3

Signal word : Danger

Hazard statements:

H225 : Highly flammable liquid and vapour.

H319 : Causes serious eye irritation.

H336 : May cause drowsiness or dizziness.

Precautionary statements:

P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 : Keep container tightly closed.

P240 : Ground/bond container and receiving equipment.

P241 : Use explosion-proof electrical/ventilating/light equipment.

P242 : Use only non-sparking tools.

P243 : Take precautionary measures against static discharge.

P261 : Avoid breathing dust/fumes/gas/mist/vapours/spray.
P264 : Wash exposed and/or contaminated area thoroughly after handling.
P271 : Use only outdoors or in a well-ventilated area.
P280 : Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304+P340 : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P312 : Call a POISON CENTER or doctor if you feel unwell.
P337+P313 : If eye irritation persists get medical advice/attention.
P370+P378 : In case of fire: Use dry powder, foam and spray water to extinguish.
P403+P233 : Store in a well ventilated place. Keep container tightly closed.
P403+P235 : Store in a well ventilated place. Keep cool.
P501 : Dispose of contents / container by a local waste disposal company according to regional regulations.

Section 3. Composition and information on ingredients

<u>Name</u>	<u>CAS</u>	<u>Concentration %</u>
Ethyl acetate	141-78-6	100

Section 4. First aid measures

Description of first aid if required:

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

Eye contact:

Rinse eyes thoroughly with water for at least 15 minutes.

Skin contact:

Wash exposed and/or contaminated area thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Inhalation:

Bring the conscious victim to fresh air. Avoid breathing dust/fumes/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

Ingestion:

Do NOT induce vomiting.

Indication of immediate medical attention and special treatment needed, if necessary:

Do not give anything by mouth to an unconscious victim. See a doctor.

Most important delayed symptoms and effects:

May cause moderate to severe irritation to eyes, respiratory tract and gastrointestinal tract.

Section 5. Fire fighting measures

Flammability of the product :

Flammable

Flash point :

-4°C / 24.8°F

Auto-ignition temperature :

Data not available

Products of combustion :

Data not available

Special protective actions for fire-fighters :

Wear self-contained breathing apparatus and appropriate protective clothing.

Suitable extinguishing media :

Water spray, Carbon dioxide, Foam, Dry Chemical, Do not use water jet.

Lower limit of explosivity :

2.02

Upper limit of explosivity :

10.7

Fire hazards in presence of various substances :

Oxidizing products

Specific hazard arising from the chemical :

Data not available

Section 6. Accidental release measures**Personal precautions, protective equipment and emergency procedures:**

For non emergency personnel: Evacuate the area.

For emergency personnel: Splash goggles, full suit, chemical resistant gloves. A self-contained breathing apparatus is recommended to avoid inhalation of the product. Suggested protective clothing might not be sufficient. Consult a specialist before handling this product.

Environmental precautions:

Do not let product enter drains

Methods and material for containment and cleaning up:

Use appropriate tools to put the spilled solid in a convenient waste disposal container.

Section 7. Handling and storage**Precautions in Handling:**

Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes.

Precautions in Storage:

Keep container tightly closed in a cool, dry and well-ventilated place.

Section 8. Exposure Controls, Personal Protections**Control parameters:**

Component	CAS	Value	Control parameters	Basis
Ethyl acetate	141-78-6	TWA	400 ppm	ACGIH
		TWA	400 ppm	NIOSH
		TWA	400 ppm	OSHA
		TWA	1440 mg/m3	CNESST

Engineering controls:

Use mechanical exhaust or laboratory fumehood to avoid exposure.

Personal protective equipment:

Eyes: Wear safety glasses.

Skin/body: Wear a lab coat or any other appropriate protective clothing.

Respiratory: If ventilation is insufficient, choose appropriate respiratory protection according to levels and duration of exposure.

Hands: Wear chemical resistant protective gloves.

Section 9. Physical and chemical properties

Physical state: Liquid

Color: Clear

Odour: Data not available

Melting point/Freezing point: Data not available

Boiling point: 75°C / 167°F

Appearance: Clear

Lower explosion limit: 2.02

Upper explosion limit: 10.7

Flash point: -4°C / 24.8°F

Decomposition temperature: Data not available

pH: Data not available

Solubility: Soluble

Vapour pressure: 86 mmhg

Density: 0.902

Evaporation rate: 4.1

VOC: 902 gr/l

Section 10. Stability and reactivity

Chemical reactivity: Stable under recommended storage conditions.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: May ignite if heated strongly.

Reactivity conditions: Heat, flames and sparks.

Conditions to avoid: Heat, flames and sparks.

Incompatible materials: Strong oxidizing agents, acids.

Products of combustion: Carbon oxides.

Section 11. Toxicological information

Acute toxicity :

Ethyl acetate

141-78-6

DL₅₀ Oral : Rat = 5620 mg/Kg

DL₅₀ Oral : Mouse = 4100 mg/Kg

DL₅₀ Oral : Rabbit = 4935 mg/Kg

DL₅₀ Cutaneous : Rabbit > 22173 mg/Kg

CL₅₀ Inhalation : Mouse - = 45000 mg/m³ 2h

CL₅₀ Inhalation : Rat - = 1600 ppm 8h

CL₅₀ Inhalation : Rat - > 6000 mg/m³ 6h

Skin corrosion/irritation :

No data available

Serious eye damage/irritation :

May cause eye irritation.

Respiratory or skin sensitisation :

No data available

Gem cell mutagenicity :

No data available

Carcinogenicity :

No data available

Reproductive toxicity :

No data available

STOT- Single exposure :

May cause drowsiness or dizziness.

STOT- repeated exposure :

No data available

Aspiration hazard :

No data available

Information on likely route of exposure :

Skin, eyes, inhalation and ingestion

Section 12. Ecological information**Ecological data for aquatic environments :**

Ethyl acetate 141-78-6

CL₅₀ - Oncorhynchus mykiss (rainbow trout) 350 mg/l - 96h
 CL₅₀ - Pimephales promelas (fathead minnow) 220 mg/l - 96h
 CE₅₀ - Daphnia magna 2300 mg/l - 24h
 CL₅₀ - Daphnia magna 560 mg/l - 48h
 CE₅₀ - Algae 4300 mg/m³ - 24h
 CE₅₀ - Selenatrum 1800 mg/m³ - 72h

Persistence and degradability :

No data available

Bioaccumulative potential :

No data available

Mobility in soil :

No data available


Other adverse effects :


No data available


Section 13. Disposal considerations**Waste disposal :**


Dispose of the chemical waste is in conformity with the federal, provincial and local laws. Store the residues of the product in safe containers. Place the containers in storage area of dangerous chemical waste.

Section 14. Transportation information

TDG		
UN number : UN 1173	Proper shipping name : Flammable liquids, N.O.S. (Ethyl Acetate)	
Class : 3	Packing group : II	

DOT		
UN number : UN 1173	Proper shipping name : Flammable liquids, N.O.S. (Ethyl Acetate)	
Class : 3	Packing group : II	

IMDG		
UN number : UN 1173	Proper shipping name : Flammable liquids, N.O.S. (Ethyl Acetate)	
Class : 3	Packing group : II	

IATA		
UN number : UN 1173	Proper shipping name : Flammable liquids, N.O.S. (Ethyl Acetate)	
Class : 3	Packing group : II	

Section 15. Regulatory information

Section 16. Additional information

Date of issue :

2018-06-01

Version :

1.00

Elaborated by :

Philippe Roussin

Notice to reader :

To the best of our knowledge, the information contained herein is accurate. However, Solutions Chemco inc., nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Références :

- *Répertoire toxicologique of la Commission des normes, de l'équité, de la santé et de la sécurité du travail.*
- *Registry of Toxic effects of Chemical Substances of the Canadian Centre for Occupational Health and Safety.*
- *Material safety data sheet from the manufacturer.*
- *Hazardous Products Regulations (DORS/2015-17).*
- *Canadian Transport of Dangerous Goods.*
- *The Globally Harmonized System of Classification and Labelling of Chemicals (GHS) <http://www.hc-sc.gc.ca/a>*